


**QUICK-STEP**<sup>®</sup>  
FLOOR DESIGNERS



*Timber*

COLLECTION 2017 - 2018

# The start of something beautiful



COM3845



PAL1344



PAL1346





## Welcome

- 04 Discover our passion for wood
- 06 The perfect floor designed for your interior
- 08 Create your own living space

## Collection overview

- 14 Range overview
- 16 Types of wood, grading, treatment and finishes available
- 18 Discover the full timber collection

## Installation

- 22 Install your floor without a hassle
- 23 Underlay is not an idle luxury

## Finishing

- 24 Finish perfectly

## Maintenance

- 26 Keep your floor in top condition

## Matching accessories guide

- 30 Your floor deserves a perfect finish



Cover photo VAR3448H



# Discover our passion for...



## nature

Most of our floors are PEFC certified, which indicates that the wood comes from sustainably managed forests.



## natural knots

Some of our floors have knots that are only partially filled, others have knots that are sanded by hand. All this is done to emphasize the liveliness of the wood.



## design

We aim for the perfect balance between the type of wood, grading, colour, structure, finishing and plank size.



## authenticity

By using different treatment techniques such as fuming and special staining, each plank has a unique colour. Thanks to these treatments, we create a lively colour variation between the planks. These effects bring the authentic character of nature into your home.





## artisan characteristics

Saw cuts are tangible evidence of pure craftsmanship. The manually applied saw cuts vary both in depth, width and frequency. Not a single plank is identical!

## craftsmanship

A Variano plank consists of multiple small boards and is composed by hand, with eye for details.

## details

Our reclaimed look of Quick-Step Variano shows saw cuts, height differences and small gaps.

## perfect finishing

Some of our floors look as matt as untreated wood, and are also easy to maintain.

## wooden textures

A brushed finish accentuates the natural grain of the wood and creates an extra authentic feel.

# The perfect floor designed for your interior

## Design & technology of today

Designing a Quick-Step floor is a process in which technology and creativity go hand in hand. The designers create a very wide variety of floors, each with its own natural character. That's why we work down to the smallest details, so that you can choose from an unparalleled range of designs.

## Quick-Step® makes it easy for you

At Quick-Step we don't just offer a product, we offer a total solution. From floors, to stairs, underlays, finishing profiles and accessories, our range of products guarantees an unrivalled result every time. As the inventor of the Uniclic® Multifit click system, Quick-Step also ensures a hassle free installation. The system enables you to click the planks together in no time using three different methods, including drop-down.



## A heart for nature

We are conscious that the world in which you want to live doesn't consist of just stylish interiors. It is equally a world that radiates respect for our natural environment. That is precisely why we continually do our best to keep the environmental impact of our products and processes to a minimum. From sourcing wood only from sustainable forestry down to energy consumption in our factories, Quick-Step remains devoted to reducing our environmental footprint.







## A lifetime of pleasure

### Enjoy immediately



Unlike other wooden floors, apart from general maintenance, there's no post-installation work to do with your Quick-Step Timber floor. Which means no sanding, no dust, and no varnishing, oiling or painting at all. As soon as your Quick-Step Timber floor is installed, you'll be able to enjoy and use it immediately!

### Superior stain and scratch resistance

Enjoy your beautiful, natural floor for many years to come. Our factory-applied lacquered finish means our wooden floors are highly wear, stain and scratch resistant. Manufactured to the highest standards, laboratory tests reveal that our S.R.T. coating shows a 20 fold improvement in the prevention of the fine scratching over standard coatings. (See page 27 for more details on our S.R.T. finish.)

### The design is in the detail

In order to reinforce the character of our engineered wooden floors, we strive for the perfect balance between the nature of the real wood, the craftsmanship of structures, and high-quality finishes. Thus providing you with a variety of authentic wooden floors that are easy to live on.

# Create your own living space

A beautiful interior starts with a good foundation. Whatever your style, whatever your room, Quick-Step has the right floor: from light, clean floors to warm brown classics and even reclaimed floors with knots and cracks.

## Get a preview of how your new floor could look in your new home!



**ROOM**  
VIEWER

Wouldn't it be great if you could try out several floors first before making a final decision? With the online 'RoomViewer' tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one. Simply upload a photo of the area to be installed and virtually install any of our floors into your own home!

**Try it out now!**

Launch the RoomViewer at  
[www.quick-step.com](http://www.quick-step.com)





GMRF18SGSP



IMP1626



PAL1341



Did you know that Quick-Step Timber floors have **an abrasion resistance up to 20 times greater** than most of the competition? This is achieved through the high quality of our specially designed European lacquer and its unique application.



GMRF18SBGSP



VAR3445H



IMP1625





PAL1345



VAR3446H



COM3846







IMP1623



GMR18TOSP



PAL1342



Want to see this floor in your own interior?  
Visit [www.quick-step.com](http://www.quick-step.com) and try out our online RoomViewer! Just upload a picture of your interior, select your favourite floors and find out which floor suits you best.

# Range overview

dimensions

## READYFLOR XL

1 strip\*

220 x 18.6 cm

## READYFLOR - AUSTRALIAN

1 strip\*

182 x 13.4 cm

## READYFLOR - INTERNATIONAL

1 strip\*

182 x 14.5 cm

## READYFLOR

2 strip\*\*

182 x 18.6 cm

## READYFLOR

3 strip

220 x 19 cm

## *Imperio*

1 strip\*

220 x 22 cm

## *Palazzo*

1 strip\*

182 x 19 cm

## *Variano*

multistrip


220 x 19 cm

## *Compact*

1 strip \*














































182 x 14.5 cm

182 x 13 cm



- ——— Solid hardwood face layer
- ——— Plantation hardwood Hevea core (Compact: HDF)
- ——— Plantation veneer backing



thickness	grooves	build-up	pack	warranty
≅ 14 mm			6 x  = 2.455 m <sup>2</sup>	 
≅ 14 mm			6 x  = 1.464 m <sup>2</sup>	 
≅ 14 mm			6 x  = 1.583 m <sup>2</sup>	 
≅ 14 mm			6 x  = 2.031 m <sup>2</sup>	 
≅ 14 mm			6 x  = 2.508 m <sup>2</sup>	 
≅ 14 mm			4 x  = 1.936 m <sup>2</sup>	 
≅ 14 mm			6 x  = 2.075 m <sup>2</sup>	 
≅ 14 mm			6 x  = 2.508 m <sup>2</sup>	 
≅ 12.5 mm			6 x  = 1.583 m <sup>2</sup> /1.419 m <sup>2</sup>	 

**Please note:** Many 1 strip products feature shorter boards. At Quick-Step, we know that when you want a stunning 1 strip floor, you don't want it full of short boards, that's why we minimise our short boards ratio lower than almost every other brand to give you the look you deserve. Our balance of short boards adds authenticity to your floors.

\* up to 4 shorter boards per pack  
\*\* styles may vary

All timber ranges are PEFC certified, except ReadyFlor, which is sourced from sustainable forestry

# The details make the difference

Each timber floor has its own story and a unique look and feel. The Quick-Step designers carefully select the structure, treatment, finishing and bevel, perfectly in line with the character of each floor design.


## Types of wood

The wood species you choose determines the colour, surface texture and feel of your floor - and by consequence the whole atmosphere of your interior. In this collection, you can choose from several wood species. All Australian wood varieties are graded as per AS2796 Standard and better. This grade includes knots, gum veins, fine cracks, and other natural features of Australian Eucalyptus.



### Blackbutt

Blackbutt is an Australian hardwood with excellent hardness. It may contain prominent gum veins and insect marks. It may also contain some fine surface cracks, known as surface checks. This wood species is not recommended with heated subfloors




### Tasmanian Oak

Tasmanian Oak is a blend of pink/straw coloured hardwood species of moderate hardness from Tasmania. Some small surface splits or surface checks are an occasional characteristic of Tasmanian Oak.




### Spotted Gum

Spotted Gum is an Australian hardwood with wide colour variation and excellent hardness. It may contain some fine surface cracks. This wood species is not recommended with heated subfloors.




### Sydney Blue Gum

Sydney Blue Gum is an Australian hardwood with wide colour variation and excellent hardness.



### Jarrah

Jarrah is a very durable hardwood from Western Australia which ranges in colour from pale pink/grey to deep reds. Jarrah will darken after installation, turning a deeper red and becoming slightly more uniform in colour.



### Oak

Oak is a popular hardwood from North America or Europe. It ranges in colour from pale straw to mid brown and offers distinctive and desirable grain patterns.



### Merbau

Merbau is a reddish brown hardwood of excellent durability from South East Asia. It often contains a small yellowish fleck in the grain.

## \* Hardness Janka rating

The Janka Rating is a measure of the resistance of the wood to indentation. The higher the number, the more indentation resistant the timber. All Quick-Step products feature a hardwood surface.



**Please note:** Remember that every wood floor is different, and will always vary from any images or samples in colour grain and features. The illustrated patterns and colours are only an image and not a full overview of all the different nuances within the natural unique design of a wood floor. For a representative view of the surface structure and variation of a plank, take a look at the big samples on display and ask your retailer for more advice.




## Grading

We have a unique grading system that sorts our floors into four different categories. It gives you an idea of how your floor will look.



### Nature

Wood with knots. Variation in colour and structure.



### Marquant

Wood with large knots. Lively variation in colour and structure.



### Vibrant

Wood with large knots and small cracks. Lively variation in colour and structure with a rustic appearance.



### Character

Wood with large dark filled knots and cracks. Lively variation in colour and structure with a rustic appearance.

## Treatment



### Brushed Deep Brushed

Brushing accentuates the natural grain structure of the wood plank and adds depth.



### Saw cuts

Random saw marks show the craftsmanship and character of the wood planks.



### Timeworn

Sloping, slightly worn edges create an aged look.



### Natural knots

On some floors the knots are not fully filled. Some of them are even manually sanded to emphasize the liveliness of the wood.



### Reclaimed look

Our Variano floors are designed with a reclaimed look: showing saw cuts, height differences and small gaps. See p. 21.



### Design colours

By using different treatment techniques such as fuming and staining, each plank has a unique colour.

## Finishing

All Quick-Step Timber floors are prefinished in the factory, which means no oiling or lacquering is needed after installation.

### 1 Oiled finish

#### Oil



- High quality oil finish.
- Brings out the authenticity of real wood.
- Can be renewed and repaired with Quick-Step maintenance products.

### 2 Lacquered finish

#### Extra matt

#### Matt

#### Low Sheen

#### Gloss



- 7 layers of protective lacquer.
- Highly scratch and wear resistant. Protects against household chemicals.
- Easy to clean wooden floor.

# READYFLOR AUSTRALIAN

**GMRF22**  
220 x 19 cm ≙ 14 mm



 **BLACKBUTT 3 STRIP\***  
GMRF22BBTH

**GMRF18**  
182 x 18.6 cm ≙ 14 mm




 **BLACKBUTT 2 STRIP\***  
GMRF18BBTDP

**GMRF18**  
182 x 13.4 cm ≙ 14 mm



 **BLACKBUTT 1 STRIP\***  
GMRF18BBTSP

**MBMRF18**  
182 x 13.4 cm ≙ 14 mm



 **MATT BRUSHED BLACKBUTT 1 STRIP\***  
MBMRF18BBTSP



 **TASMANIAN OAK 3 STRIP\***  
GMRF22TOH



 **TASMANIAN OAK 2 STRIP\***  
GMRF18TODP



 **TASMANIAN OAK 1 STRIP\***  
GMRF18TOSP



 **SPOTTED GUM 3 STRIP\***  
GMRF22SGH



 **SPOTTED GUM 2 STRIP\***  
GMRF18SGDP



 **SPOTTED GUM 1 STRIP\***  
GMRF18SGSP



 **MATT BRUSHED SPOTTED GUM 1 STRIP\***  
MBMRF18SGSP



 **JARRAH 3 STRIP\***  
GMRF22JH\*



 **JARRAH 2 STRIP\***  
GMRF18JDP



 **JARRAH 1 STRIP\***  
GMRF18JSP



 **SYDNEY BLUE GUM 3 STRIP\***  
GMRF22SBGH\*



 **SYDNEY BLUE GUM 2 STRIP\***  
GMRF18SBGDP



 **SYDNEY BLUE GUM 1 STRIP\***  
GMRF18SBGSP

\* This product is exclusively available in Australia  
\* Subject to availability



## READYFLOR

**MRF18**  
220 x 19 cm ≙ 14 mm



 **MERBAU 3 STRIP\***  
MRF22MH

**MRF18**  
182 x 18.6 cm ≙ 14 mm



 **MERBAU 2 STRIP\***  
MRF18MDP

**MRF18**  
182 x 14.5 cm ≙ 14 mm



 **MERBAU 1 STRIP\***  
MRF18MSP

## READYFLOR XL

**RFXL**  
220 x 18.6 cm ≙ 14 mm

The widest & longest Australian timber planks

**NEW**



 **BLACKBUTT 1 STRIP\***  
RFXLBBTSP



 **SPOTTED GUM 1 STRIP\***  
RFXLSGSP



GMRF18BBTSP

Treatment:  Brushed  Deep brushed  Saw cuts  Timeworn  Natural knots  Reclaimed look  Design colours

Finishing:  Extra matt  Matt  Low sheen  Gloss | Bevels:   

# Palazzo

**PAL**  
182 x 19 cm ≙ 14 mm

Elegant oak planks



**PURE OAK MATT**  
PAL1341  
NATURE



**VINTAGE OAK MATT**  
PAL1344\*  
MARQUANT



**FOSSIL OAK MATT**  
PAL1342  
NATURE



**LIMED GREY OAK MATT**  
PAL1345  
MARQUANT



**OLD GREY OAK MATT**  
PAL1346\*  
MARQUANT



**MOCCA OAK MATT**  
PAL1348  
MARQUANT

# Imperio

**IMP**  
220 x 22cm ≙ 14 mm

Long and wide oak planks



**PURE OAK MATT**  
IMP1623  
MARQUANT



**NOUGAT OAK OILED**  
IMP1626  
CHARACTER



**NATURAL HERITAGE OAK OILED**  
IMP1624  
MARQUANT



**CARAMEL OAK OILED**  
IMP1625  
CHARACTER

\* This product is exclusively available in Australia

*Variano* VAR  
220 x 19 cm   $\frac{1}{2}$  14 mm

Unique planks with a reclaimed look and pattern



        
**PAINTED WHITE OAK EXTRA MATT**  
VAR3445H  
MARQUANT



        
**CHAMPAGNE BRUT OAK EXTRA MATT**  
VAR3446H  
MARQUANT



        
**ROYAL GREY OAK EXTRA MATT**  
VAR3447H  
MARQUANT



        
**ESPRESSO BLEND OAK EXTRA MATT**  
VAR3448H  
MARQUANT

*Compact* COM  
182 x 14.5 cm  $\frac{1}{2}$  12.5 mm

**\*COM**  
182 x 13 cm  $\frac{1}{2}$  12.5 mm

Planks with a renovation friendly thickness

**NEW**



        
**WINTRY FOREST OAK EXTRA MATT**  
COM3845  
MARQUANT



        
**CREAMY WHITE OAK EXTRA MATT**  
COM3851  
MARQUANT



        
**PURE OAK EXTRA MATT**  
COM3849  
MARQUANT



        
**NATURAL OAK EXTRA MATT**  
COM3844  
MARQUANT



        
**CLIFF GREY OAK EXTRA MATT**  
COM3850  
MARQUANT



        
**SLATE GREY OAK EXTRA MATT**  
COM3846 Available November 2017  
MARQUANT



        
**BLACKBUTT\***  
COM3858  
NATURE



        
**SPOTTED GUM\***  
COM3859  
NATURE

Treatment:  Brushed  Deep brushed  Saw cuts  Timeworn  Natural knots  Reclaimed look  Design colours

Finishing:  Extra matt  Matt  Low sheen  Gloss | Bevels:   



## STEP 1 INSTALLATION

# Install your floor without a hassle!

### 1 Effortless installation, thanks to the Uniclic® Multifit click system

Quick-Step is the inventor of the Uniclic® Multifit installation system, today the standard click-to-install system. Use this revolutionary and patented click system to effortlessly click your floor planks together. It's simply the cleanest, strongest and fastest joining system available, even affording the ability to replace planks in your floor, should they become damaged in years to come.



### 2 Install your floor anywhere, even on floor heating

Quick-Step Timber floors are perfect for installing over floor heating when combined with the right underlay. Some species are not suitable, see page 16.

### 3 Watch the videos

See for yourself how easy it is to install a Quick-Step floor in our installation videos. Discover them on [www.quick-step.com](http://www.quick-step.com).

## Installation tools

Install your timber floor in an easy and professional way with the handy Quick-Step installation tools.



### Quick-Step® HANDSAW

Used to undercut door frames.



### Quick-Step® INSTALLATION KIT

Includes a special Uniclic® tapping block, pulling tool and spacing wedges.



For a perfect installation, check out the installation videos on [www.quick-step.com](http://www.quick-step.com)



# Underlay is not an idle luxury



## CLICK on timber

Installing your timber floor is easy thanks to the patented Uniclic® Multifit click system. A good underlay has a major impact on the final look, walk sound, quality and comfort of your Quick-Step Timber floor.

- Quick-Step underlays maintain their initial thickness over the years and provide excellent acoustic insulation, keeping your floor quieter underfoot.
- A Quick-Step underlay levels and helps to prevent small irregularities.
- A Quick-Step underlay comes with a self-adhesive strip and a pre-integrated damp proof membrane (DPM) which protects your floor from rising damp, with a water vapour resistance of greater than  $SD > 75m$ , meeting all European recommendations.
- Our underlays are suitable for floor heating and/or cooling.
- All Quick-Step underlays offer a stable base which supports your floor in instances of dropped items or temporary heavy loads.



For the best results always start with a level subfloor. Make sure it's completely dry as well. **For more advice about preparing your subfloor, visit [www.quick-step.com](http://www.quick-step.com) or your local Quick-Step retailer.**



## GLUE

Quick-Step Timber can also be glued down using Quick-Step Parquet Adhesive.

- Spreads easily and guarantees great adhesion.
- Suitable for floor heating and/or cooling.

**Please note:** Contact your Quick-Step retailer for more details on gluing a Quick-Step Timber floor.



### Quick-Step® COMBI-LAY STANDARD

Contents:  
1 roll = 20 or 50 m<sup>2</sup>  
Thickness: 2 mm

Combi-Lay Standard is no normal underlay. The dense, closed cell polyolefin foam provides excellent support, with good reduction of both reflected and impact noise.



### Quick-Step® QUIET-STEP COMBI-LAY

Contents:  
1 roll = 20 or 50 m<sup>2</sup>  
Thickness: 2 mm

Quiet-Step Combi-Lay is the first choice where a quiet step sound and maximum reduction in multi-storey noise is required. This high density underlay has no match when it comes to reducing foot fall noise, with a reduction of up to 30% over standard underlays. Ideal for installation in multi-storey apartments where noise transfer can be an issue.



## STEP 2 FINISHING

# Finish perfectly

Finish your floor perfectly with the Quick-Step scotia and profiles.


## Finishing profiles for floor and stairs

Quick-Step's Incizo® profile is a multifunctional finishing tool. The same profile can be used for all the finishes of your floor and stairs, in the matching colour. Simply cut the Incizo® basic profile to the shape required using the special cutter supplied in every Incizo pack.

### Quick-Step® Incizo®: five questions, one answer



1 How can I join two floors of the same height?




Use the Incizo® profile cut as an expansion profile.

2 How can I solve variations in height from one floor to another?




Use the Incizo® profile cut as an adapter profile.

3 How do I finish my floor along a wall or a window?



Use the Incizo® profile cut as an end profile.

4 How can I connect my floor to a carpet, and have a beautiful finish?



Use the Incizo® profile cut as a transition profile.







Discover our installation videos on [www.quick-step.com](http://www.quick-step.com)



Always glue the floor panels on the stairs of your staircase.

## 5 What about the finishing of my stairs?

You can cover your stairs or steps with Quick-Step planks and finish in the style of your choice using the Incizo® profile as a stair nose. Remember to order the Incizo aluminium sub-profile for stair installations.



### Quick-Step® INCIZO® PROFILE

QSWINCP(-)

215 cm x 5.4 cm x 1.7 cm

Contents: 1 Incizo®, 1 cutter, 1 plastic rail, screws and plugs

### Quick-Step® INCIZO® ALUMINIUM SUB-PROFILE FOR STAIRS

NEWINCPBASE(-)

215 cm x 1.9 cm x 7.35 cm

To be ordered separately.

The Incizo® stairs finishing cannot be used for commercial applications.

## Scotia



QSWSCOT(-)



### Quick-Step® SCOTIA

240 x 1.7 x 1.7cm

The veneer timber scotia is perfect for covering expansion gaps along skirting boards.

## STEP 3 CLEANING

# Keep your floor in top condition



### Quick-Step® CLEANING KIT QSCLEANINGKIT

Contents: mop holder, washable microfibre mop, Quick-Step Cleaning product 750ml

All Quick-Step cleaning products are specifically developed for Quick-Step floors. They cleanse the floor surface thoroughly and maintain the original look of your floor. No residual layers of cleaning product are left behind. Naturally, wood flooring will mark and scratch when items are dragged across or dropped onto the surface. However proper maintenance will keep your floor looking better for longer.

Also available:

### Quick-Step® CLEANING PRODUCT QSCLEANING750



## Caring for oiled Quick-Step Imperio floors

### EVERY 4<sup>TH</sup> CLEANING



Quick-Step®  
**OIL CARE**  
QSCARE750  
Contents: 750 ml

#### Keep your floor in top condition.

- Protects your oiled Timber floor and prevents it from drying out and losing its gloss
- Restores the original look and reduces the appearance of micro-scratches
- Delays the need for maintenance oil
- Easy, user-friendly and efficient
- Use once every 4 "slightly damp" cleans

### EVERY YEAR



Quick-Step®  
**MAINTENANCE OIL WHITE**  
QSWMAINTOILW

Quick-Step®  
**MAINTENANCE OIL  
TRANSPARENT**  
QSWMAINTOILN  
Contents: 1 L (=75 m<sup>2</sup>)

#### For intensive care & repair.

- Replenishes the oiled Timber floor's matt finish
- Reduces the visibility of minor damages to the floor
- Nourishes the floor
- Low emissions and solvent-free

## There is no substitute for quality

When looking at any pre-finished timber floor it is important to pay serious attention to the wear resistance of the coatings used. After all, it is the coating that will afford protection to the timber surface of your floor and the better the quality of the finish used, the longer your floor will look its very best.



Wear resistance, or abrasion resistance, is tested using a taber abrasion machine that simulates day to day wear of the coating system. Taber testing is universally recognised as the best testing method to evaluate the wear performance of a floor covering. In essence, the better the abrasion resistance, the longer your floor will hold its initial gloss level and the longer the coating will last before wearing through to raw timber.

Most competitors use a standard "off the shelf" finish that wears reasonably well, but that's simply not good enough for the designers at Quick-Step.

SRT Finish is a specifically formulated, high performance lacquer that has been developed in Europe and used on all lacquered Quick-Step Timber floors. Laboratory tests clearly demonstrate that Quick-Step's SRT Finish outperforms the competitors by up to 20 fold, ensuring that when you choose a Quick-Step floor, you are selecting a timber floor with only the best available pre-finished coatings available. What's more, SRT is able to be re-coated using a wide selection of local finishes, meaning trouble free maintenance when it comes time to replenish the coated surface of your floor in years to come.

## Repair



### Quick-Step® REPAIR KIT

QSREPAIR

Contents: melting knife, cleaning comb,  
7 wax blocks, sanding pad

Light damages can easily be repaired in the original colour with the Repair Kit. Simply recreate the colour of your damaged planks with one of the seven wax pieces selected to cover all Quick-Step colours.



Check the specific colour combination for your floor on [www.quick-step.com](http://www.quick-step.com)



Watch our repair movie showcasing how to repair your timber floor.




Tips to keep your floor in top condition: Placing dirt trapping mats at external entrances and felt floor protectors under all furniture is recommended. Where possible, use rubberised castors and wheels designed for hard flooring and vinyl chair mats under castor wheels and office chairs. Remove small stones and grit with a soft bristle broom or vacuum to help prevent scratching. Quick-Step Timber should also be protected from excessive heat and sunlight. The use of steam mops and stiletto heels should also be avoided at all times. For regular maintenance, use the Quick-Step Timber Cleaning Kit for best results. (For full maintenance guidelines go to [www.quick-step.com](http://www.quick-step.com))





- ☑ More than 75% recycled, sustainable wood
- ☑ We use carefully screened raw materials
- ☑ We invest in energy-efficient production



Wood is one of very few renewable source material for floor coverings and for many years Quick-Step has gone the extra mile to limit the environmental impact of its activities. All the wood used to manufacture our engineered wooden floors is sourced from sustainably managed forests. Moreover, our glue, lacquer and oil meet the strictest international emission norms and we only work with efficient and durable production processes. All of this means you can simply enjoy your wooden floor knowing it was made with respect for the environment and your family's health.

## Important timber facts

Timber is a living product. If not properly manufactured, prepared, treated or installed, timber flooring can warp, twist or delaminate and generally behave in a manner quite contrary to your expectations.

### It's only natural...


Remember, Timber is a natural product, and all Australian varieties are graded according to AS2796 standard and better. This provides for a selection of gum veins, knots and other natural features in line with the beauty of Australian hardwoods. Colour variation is also to be expected and distinguishes your Quick-Step Timber as natural timber, not a manufactured imitation. While Quick-Step Timber is certainly resistant to day-to-day life in both residential or commercial applications, Quick-Step Timber is genuine timber flooring therefore proper care and maintenance is required to avoid unnecessary marking and scratching. Also remember that there is always some slight noise associated with any wood flooring systems, this is a normal part of wood flooring and may vary from time to time with the climate.

### It's essential to create a habitable & timber friendly indoor environment

Timber floors should not be installed more than two weeks prior to a new dwelling being occupied and curtains, blinds and/or window tinting being installed so that the floor will experience normal 'interior' conditions. Otherwise, extreme indoor conditions may lead to cracking, shrinking, cupping or other distortion of the wood flooring. Such damage resulting from extreme conditions is not covered by warranty.

# Which floor is perfect for you?

1 Select a room 2 Choose a colour 3 Define your style



## FLOOR EXPLORER

With so many flooring options to choose from, making the right decision can be a challenge. That's why we have introduced the online 'FloorExplorer' tool: in three simple steps, you will get a selection of floors that perfectly match your personal needs and style.

**Why not give it a try?**  
Enter the **FloorExplorer** at  
[www.quick-step.com](http://www.quick-step.com)



### 3 EASY STEPS TO FIND YOUR PERFECT MATCH

## Get a preview of how your new floor could look in your new home!



## ROOM VIEWER

Wouldn't it be great if you could try out several floors first before making a final decision? With the online 'RoomViewer' tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one. Simply upload a photo of the area to be installed and virtually install any of our floors into your own home!

**Try it out now!**

Launch the RoomViewer at  
[www.quick-step.com](http://www.quick-step.com)

# Matching Accessories Guide

Flawlessly matching accessories are available in all Quick-Step timber products. Quick-Step is committed to perfecting all aspects of flooring by meticulously colour-matching trims and profiles for all applications including stairs across all timber ranges.

Product code	Product description	Quick-Step Scotia More info see page 25	Quick-Step Incizo® More info see page 24-25
--------------	---------------------	--	--

## ReadyFlor 1-strip

	<b>GMRF18BBTSP</b>	BLACKBUTT	<b>QSWSCOT01871</b>	<b>QSWINCP01871</b>
	<b>GMRF18TOSP</b>	TASMANIAN OAK	<b>QSWSCOT01874</b>	<b>QSWINCP01874</b>
	<b>GMRF18SGSP</b>	SPOTTED GUM	<b>QSWSCOT01872</b>	<b>QSWINCP01872</b>
	<b>GMRF18JSP</b>	JARRAH	<b>QSWSCOT01873</b>	<b>QSWINCP01873</b>
	<b>GMRF18SBGSP</b>	SYDNEY BLUE GUM	<b>QSWSCOT01875</b>	<b>QSWINCP01875</b>
	<b>MBMRF18BBTSP</b>	MATT BRUSHED BLACKBUTT	<b>QSWSCOT01865</b>	<b>QSWINCP01865</b>
	<b>MBMRF18SGSP</b>	MATT BRUSHED SPOTTED GUM	<b>QSWSCOT01866</b>	<b>QSWINCP01866</b>
	<b>MRF18MSP</b>	MERBAU	<b>QSWSCOT01357</b>	<b>QSWINCP01357</b>



## ReadyFlor 2-strip

	<b>GMRF18BBTDP</b>	BLACKBUTT	<b>QSWSCOT01871</b>	<b>QSWINCP01871</b>
	<b>GMRF18TODP</b>	TASMANIAN OAK	<b>QSWSCOT01874</b>	<b>QSWINCP01874</b>
	<b>GMRF18SGDP</b>	SPOTTED GUM	<b>QSWSCOT01872</b>	<b>QSWINCP01872</b>
	<b>GMRF18JDP</b>	JARRAH	<b>QSWSCOT01873</b>	<b>QSWINCP01873</b>
	<b>GMRF18SBGDP</b>	SYDNEY BLUE GUM	<b>QSWSCOT01875</b>	<b>QSWINCP01875</b>
	<b>MRF18MDP</b>	MERBAU	<b>QSWSCOT01357</b>	<b>QSWINCP01357</b>

## ReadyFlor 3-strip

	<b>GMRF22BBTH</b>	BLACKBUTT	<b>QSWSCOT01871</b>	<b>QSWINCP01871</b>
	<b>GMRF22TOH</b>	TASMANIAN OAK	<b>QSWSCOT01874</b>	<b>QSWINCP01874</b>
	<b>GMRF22SGH</b>	SPOTTED GUM	<b>QSWSCOT01872</b>	<b>QSWINCP01872</b>
	<b>GMRF22JH</b>	JARRAH	<b>QSWSCOT01873</b>	<b>QSWINCP01873</b>
	<b>GMRF22SBGH</b>	SYDNEY BLUE GUM	<b>QSWSCOT01875</b>	<b>QSWINCP01875</b>
	<b>MRF22MH</b>	MERBAU	<b>QSWSCOT01357</b>	<b>QSWINCP01357</b>




## ReadyFlor XL 1-strip

	<b>RFXLBBTSP</b>	BLACKBUTT	<b>QSWSCOT01865</b>	<b>QSWINCP01865</b>
	<b>RFXLSGSP</b>	SPOTTED GUM	<b>QSWSCOT01866</b>	<b>QSWINCP01866</b>



Product code	Product description	Quick-Step Scotia More info see page 25	Quick-Step Incizo® More info see page 24-25
--------------	---------------------	--	--

### Imperio

	<b>IMP1623</b>	PURE OAK MATT	<b>QSWSCOT01341</b>	<b>QSWINCP01341</b>
	<b>IMP1624</b>	NATURAL HERITAGE OAK OILED	<b>QSWSCOT01334</b>	<b>QSWINCP01334</b>
	<b>IMP1625</b>	CARAMEL OAK OILED	<b>QSWSCOT01354</b>	<b>QSWINCP01354</b>
	<b>IMP1626</b>	NOUGAT OAK OILED	<b>QSWSCOT01626</b>	<b>QSWINCP01626</b>

### Palazzo

	<b>PAL1341</b>	PURE OAK MATT	<b>QSWSCOT01341</b>	<b>QSWINCP01341</b>
	<b>PAL1342</b>	FOSSIL OAK MATT	<b>QSWSCOT01342</b>	<b>QSWINCP01342</b>
	<b>PAL1344</b>	VINTAGE OAK MATT	<b>QSWSCOT01344</b>	<b>QSWINCP01344</b>
	<b>PAL1345</b>	LIMED GREY OAK MATT	<b>QSWSCOT01345</b>	<b>QSWINCP01345</b>
	<b>PAL1346</b>	OLD GREY OAK MATT	<b>QSWSCOT01346</b>	<b>QSWINCP01346</b>
	<b>PAL1348</b>	MOCCA OAK MATT	<b>QSWSCOT01348</b>	<b>QSWINCP01348</b>

### Variano

	<b>VAR3445H</b>	PAINTED WHITE OAK EXTRA MATT	<b>QSWSCOT01629</b>	<b>QSWINCP01629</b>
	<b>VAR3446H</b>	CHAMPAGNE BRUT EXTRA MATT	<b>QSWSCOT01630</b>	<b>QSWINCP01630</b>
	<b>VAR3447H</b>	ROYAL GREY OAK EXTRA MATT	<b>QSWSCOT01631</b>	<b>QSWINCP01631</b>
	<b>VAR3448H</b>	ESPRESSO BLEND OAK EXTRA MATT	<b>QSWSCOT01632</b>	<b>QSWINCP01632</b>

### Compact

	<b>COM3844</b>	NATURAL OAK EXTRA MATT	<b>QSWSCOT01334</b>	<b>QSWINCP01334</b>
	<b>COM3845</b>	WINTER FOREST OAK EXTRA MATT	<b>QSWSCOT01340</b>	<b>QSWINCP01340</b>
	<b>COM3846</b>	SLATE GREY OAK EXTRA MATT	<b>QSWSCOT03846</b>	<b>QSWINCP03846</b>
	<b>COM3849</b>	PURE OAK EXTRA MATT	<b>QSWSCOT01341</b>	<b>QSWINCP01341</b>
	<b>COM3850</b>	CLIFF GREY OAK EXTRA MATT	<b>QSWSCOT03017</b>	<b>QSWINCP03017</b>
	<b>COM3851</b>	CREAMY WHITE OAK EXTRA MATT	<b>QSWSCOT03098</b>	<b>QSWINCP03098</b>
	<b>COM3858</b>	BLACKBUTT	<b>QSWSCOT01865</b>	<b>QSWINCP01865</b>
	<b>COM3859</b>	SPOTTED GUM	<b>QSWSCOT01866</b>	<b>QSWINCP01866</b>

# Timber

COLLECTION 2017 - 2018



## Try our RoomViewer

Want to see this floor in your own interior?

Visit [www.quick-step.com](http://www.quick-step.com) and try out our online RoomViewer! Just upload a picture of your interior, select your favourite floors and find out which floor suits you best.

# Premium

**FLOORS AUSTRALIA**

Melbourne	Tel.: (03) 9798 0808
Sydney	Tel.: (02) 9982 3777
Brisbane	Tel.: (07) 3273 3111
Adelaide	Tel.: (08) 8262 8666
Tasmania	Tel.: (03) 9798 0808
Northern Terr.	Tel.: (08) 8262 8666
Perth	Tel.: (08) 9240 1966

Commercial Division Tel.: (03) 9798 0808



**FLOORSCAPE**

Auckland






Tel.: 09 476 0428

Your Quick•Step® point of sale



[www.quick-step.com](http://www.quick-step.com)

## FOLLOW US ON

 [www.facebook.com/QuickStepFloors](https://www.facebook.com/QuickStepFloors)  [www.youtube.com/quickstepfloor](https://www.youtube.com/quickstepfloor) [www.youtube.com/PremiumFloorsAU](https://www.youtube.com/PremiumFloorsAU)  
 [plus.google.com/+quickstep](https://plus.google.com/+quickstep)  [www.pinterest.com/quickstepfloor](https://www.pinterest.com/quickstepfloor)  [@QuickStepFloor](https://twitter.com/QuickStepFloor)

Quick-Step® is a quality product produced by **UNILIN** bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO VAR3448H.  
Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice.  
Content © 2017/2018 by **UNILIN** bvba – division Flooring.  
All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.